

Notice of Allowability	Application No.	Applicant(s)
	10/062,622	SINTONEN, JYRI
	Examiner	Art Unit
	Juan A. Torres	2611
The MAILING DATE of this communication appears on the cover sheet with the correspondence address All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS. This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.		
1. This communication is responsive to <u>Amendment - After Non-Final Rejection filed on 06/20/2006</u> .		
2. The allowed claim(s) is/are 1,2,4-13 and 15-20. Renumbered 1-18.		
<ul> <li>3. Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).</li> <li>a) All b) Some* c) None of the:</li> <li>1. Certified copies of the priority documents have been received.</li> <li>2. Certified copies of the priority documents have been received in Application No.</li> <li>3. Copies of the certified copies of the priority documents have been received in this national stage application from the International Bureau (PCT Rule 17.2(a)).</li> <li>* Certified copies not received:</li> </ul>		
Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application. THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.		
4. A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.		
5. CORRECTED DRAWINGS ( as "replacement sheets") must be submitted.		
(a) ☐ including changes required by the Notice of Draftsperson's Patent Drawing Review ( PTO-948) attached		
1) hereto or 2) to Paper No./Mail Date		
(b) ☐ including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date		
Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d).		
6. DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.		
Attachment(s) 1. ☐ Notice of References Cited (PTO-892)	5 Notice of Informal D	atent Application (PTO-152)
Notice of References Cited (PTO-092)     Notice of Draftperson's Patent Drawing Review (PTO-948)	6. Interview Summary	``````
3. ☐ Information Disclosure Statements (PTO-1449 or PTO/SB/0	Paper No./Mail Date	e
Paper No./Mail Date	_	
<ol> <li>Examiner's Comment Regarding Requirement for Deposit of Biological Material</li> </ol>	<ol> <li>8. ☑ Examiner's Stateme</li> <li>9. ☐ Other</li> </ol>	nt of Reasons for Allowance

Art Unit: 2611

## **DETAILED ACTION**

Page 2

## Response to Arguments

Applicant's arguments, see Amendment - After Non-Final Rejection, filed 06/20/2006, with respect to claims 1, 9 and 12 have been fully considered and are persuasive. The rejections of claims 1, 9 and 12 have been withdrawn.

## Allowable Subject Matter

Claims 1, 2, 4-13 and 15-20 are allowable.

The following is an examiner's statement of reasons for allowance: claims 1, 2, 4-13 and 15-20 are allowed because the references cited fail to teach, as applicant has a first digital filter having a first filter input coupled with the digital signal, the first digital filter filters the digital signal at a first interference attenuation factor to produce a first filter output the first filter output comprising the amplifier control signal, the first filter output being proportional to the magnitude of the interference signal when the interference signal is greater in magnitude than the target signal thereby to cause the amplification level set by the amplifier to be proportional to the magnitude of the interference signal; and digitally filtering the digital signal at a first interference attenuation factor to produce a first filter output proportional to the magnitude of the interference signal when the interference signal is greater in magnitude than the target signal, adjusting the amplification level at which the received signal is amplified based on the first digital tilter output such that the difference between the maximum possible digital signal and the amplified signal is decreased when the interference signal is

Art Unit: 2611

greater than the target signal and thereby to cause the amplification level to be proportional to the magnitude of the interference signal, as the applicant has claimed.

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

## Conclusion

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Juan A. Torres whose telephone number is (571) 272-3119. The examiner can normally be reached on Monday-Friday 9:00 AM - 5:00 PM.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Mohammad H. Ghayour can be reached on (571) 272-3021. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Art Unit: 2611

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

Juan Alberto Torres 08-07-2006

TEMESCHEN GHEBRETINSAE